



RECREATIONAL SAFETY CATALOGUE

Want more information? Contact SafetyLink at
www.heightsafety.com
1300 789 545

January 2012

SafetyLink™ Pty Ltd has been operating as a manufacturer of Height Safety equipment for over a decade. Our product range includes anchors, staticline systems, permanent ladder systems and ladder stabilizers.

We specialising in meeting the needs and requirements of the commercial height safety market when it comes to access, abseil anchors, personnel static lines, energy absorbing anchor points and permanent ladder systems.

Safety Link's products can be found all over Australia and New Zealand on constructions such as schools, shopping malls, office blocks, high rise buildings, industrial factory's, and even residential homes.

These SafetyLink products create permanent safe access to places so that construction, maintenance and servicing can safely take place for the life of the building in most cases.

SafetyLink products have been up until this point for specific use in the commercial trade environment. However with customer request SafetyLink is now proud to offer a range of products to suit the recreation market as well, such as flying fox pulleys, haul line pulleys, shear reduction devices and belay devices.

SafetyLink has also expanded its range of harnesses, karabiners and wire rope and can offer a more complete product range to this industry.

At SafetyLink we are always evolving to meet the industry and client needs as the standards change and the need calls. Please do not hesitate to contact one of our team if you need to find a product or service to fit your individual needs, we are here to help.

All SafetyLink™ products undergo extensive testing in a multitude of scenarios and our experienced technical support team is complemented with comprehensive installation manuals.

WARNING - Any installation of height safety components/products must be carried out by a competent person. Person/s must be safe at all times.

READ ENTIRE HANDBOOK BEFORE USING ANY SAFETYLINK PRODUCT.

FAILURE TO FOLLOW ALL WARNINGS AND INSTRUCTIONS MAY RESULT IN A SERIOUS INJURY OR DEATH.





SafetyLink Recreational Safety Catalogue

	Page
Descenders / Belay Device	4
Harnesses	4 - 7
Roofers Kit	7
Lanyard	8
Slings	9-10
Vertical Etrier and Aider	10
Bosuns Chair	10
Suspension Trauma Relief Straps	10
SafetyLines	10
Rope Fall Arrest Line	11
Helmets	11
Karabiners	12 - 13
Maillon Rapide Standard	13 - 15
Collared Eyebolts	15
Nut, Bolt and Washer	15
Rope Adjuster	15
Pole Access Kit	16
Galvanised Nut Eye Bolt	16
Vertical StaticLine Shuttle	16
Pulleys	17
Brake Block	17
Cable Steel Wire Rope	18
Safety Rope	18
Rated Cord	18
Pulley System	19
Rescue Kit	19
Bag	19
SafetyLink Standard Terms & Conditions	20 – 23



Descender – Belay Tube

Product Code: REC.BELAY001

- The Kong 940A Chuy's dual friction profile allows you to choose variable rate of descent in abseiling combined with two breaking options.
- Rubber coated wire cable keeper, Anodized finish.
- For use with 8 – 12mm ropes.



Belay Device – Elderid Eddy

Product Code: REC.DESC001

- Simple to use belaying device with auto lock function.
- Ideal for use in single rope applications when abseiling or belaying.
- Easy to set up as the rope simply follows logically the rope flow as permanently marked on the Eddy.
- Eddy offers a controlled descent with an emergency brake system which eliminates the "panic pull" syndrome which can lead to serious injury, Suitable on 9mm to 11mm Ropes.



Descender - Figure 8

Product Code: REC. DESC002

- Your typical standard abseil/belay device.
- For use on 9 – 10mm ropes.
- Rated to 35kN.
- Available in polished finish only.



Harness – Centrepoint Sit

Product Code: REC.HARN001

- Pole strap attachment points.
- Wide padded waist and leg loops for added comfort when hanging or working for long periods of time.
- Multiple heavy duty gear loops around waist for storing hardware and gear.
- Fully adjustable rear leg risers to ensure best fit.
- Size XS, S, M, L, XL (conditions apply for XS & XL)

* Please enquire for our full range of Sit Harnesses.



Harness - Gym

Product Code: REC.HARN002

- Basic waist harness suitable for outdoor education applications.
- Optional padded band available for comfort.
- Size: One size fits most.
- Weight: 490 g.

* Please enquire for our full range of Harnesses.



Harness – Challenge

Product Code: REC.HARN006

- The Challenge Harness is specially designed for climbing walls, high ropes courses and adventure parks.
- It is fitted with one simple tie-in point which is placed above the belt, effectively raising the centre of gravity to avoid inversion. It has adjustable leg loops with alloy double lock buckles and optional gear loops.
- Size: Standard - one size fits most (XS and XL on request).
- Weight: 460 g.

* Please enquire for our full range of Harnesses.



Harness – Gekko

Product Code: REC.HARN003

- A small, simple and stylish kid's harness.
 - Suitable for all applications involving height.
 - Size: Kids size max. 40 kg.
 - Weight: 450 g.
 - Colour: Orange/Black.
- * Please enquire for our full range of full bodied Harnesses.



Harness – Grommit

Product Code: REC.HARN004

- The Grommit full body harness is designed for use with small children in climbing, abseiling and high ropes activities.
 - A comfortable, simple to use and low cost harness.
 - Weight 390 gm.
- * Please enquire for our full range of full bodied Harnesses.



Harness

Product Code: REC.HARN005

- One size fits all, weight 340gm.
 - The Vertical Chest Harness is only to be used in conjunction with a sit harness.
 - It provides additional support for people with a high centre of gravity or for fixing ascending systems securely to the body.
 - The two soft eyes on the Vertical Chest Harness are designed to connect to the harness belay loop via a hardware connector.
 - Also available with double connector.
- * Please enquire for our full range of full bodied Harnesses.



Quick connect buckles

Harness

Product Code: HARNES012

- Vertical Challenge Full Body Harness.
 - Designed for changing regulations and safety requirements being implemented into the Australian outdoor and recreation industry.
 - Rear free fall arrest D-ring attachment point.
 - Quick connect buckles on legs.
 - Elasticised waist strap ensures comfortable fit.
 - Attachment points above the waistline to prevent inverting.
 - Simplistic design and shape allows easy donning.
 - Australian Standards approved AS/NZS 1891.1:2007.
 - Available in one size fits most. Conditions apply for XS&XL.
- * Please enquire for our full range of Harnesses.



Harness - Ergo

Product Code: HARNES001

- Full body harness with rear and front D, dorsal extension.
- Confined space loops on shoulders, fully adjustable leg, shoulder, and chest straps.
- Suitable for fall arrest, confined space entry, general roofing applications.
- Carbon steel buckles and breathable rear mesh panel.
- Certified to AS/NZ 1891.1 2007.

* Please enquire for our full range of Harnesses.



Harness - Spectre Basic

Product Code: HARNES005

- Fall arrest harness, with rear D.
- Front fall arrest loops, fully adjustable shoulder and leg straps.
- Carbon steel buckles and breathable rear mesh panel.
- Certified to AS/NZ 1891.1 2007.

* Please enquire for our full range of Harnesses.



Harness - 1800 ERGO

Product Code: HARNES006

- A full body suspension harness with rear & front fall arrest Ds.
- Wide abseil attachment points & padded waist and leg bands for greater comfort and use.
- Multiple strong plastic coated gear loops & Hi-vis webbing for greater safety.
- Quick release shoulder strap with easy strap adjuster.

Suitable for use in rope access, maintenance, construction, high ropes, flying fox.

* Please enquire for our full range of Harnesses.



Harness – Solid

Product Code: REC.HARN009

- Easy to put on and adjust to any body size thanks to the jacket style construction.
- Shoulder straps made of alternate colour to leg straps to help assist with identification and correct fitting, a complete work- and positioning harness.
- Suitable for young or very slim users.
- Has 2 equipment loops.

* Please enquire for our full range of Harnesses.



Harness – Top 361 Chest Harness

Product Code: REC.HARN010

- This chest harness makes the Vertik II a full body harness without any compromise. Padded shoulder straps combined with mesh design as well as adjustment buckles on the front and back. As with the sit harness Vertik II, the Top 361 is one-size-fits-all.

* Please enquire for our full range of Harnesses.



Harness – Vertik Sit Harness

Product Code: REC.HARN011

- Combined with the Top 361 chest harness, it can be easily converted into a complete full body harness for use with a chest ascender.
- The new design offers better functionality, comfort and lightness.
- In addition to the front eyelet and the eyelets on the sides, it features a restraint loop on the back.
- The waist strap provides approved double padded back support and is equipped with Easy Glider buckles.

* Please enquire for our full range of Harnesses.

Roofers Kit

Product Code: ROOFKIT001



- A complete height safety access kit in a bag.
- Suitable for all trades requiring safe access to roof spaces.

Kit contains: 1 x 3108 restraint line & adjuster
 1 x 1104 full body harness
 1 x K2 karabiner
 1 x 3053 shock absorber
 1 x 3501 anchor sling, kit bag

* Please enquire for our full range of Roofers Kits.



Lanyard - SPECTRA

Product Code: LANYRD003

- Energy absorbing lanyards are designed to minimise the forces endured by an operator should a fall occur.
- Lanyards feature back up straps should the tear web be fully deployed, and all are certified to AS/NZS 1891.1 2007.
- Heavy duty, alloy steel, corrosion resistant components, and high tenacity polyester webbing they offer outstanding safety and value to this range.

* Please enquire for our full range of Lanyards.



Lanyard - ERGO

Product Code: LANYRD009

- 1.8m Length with built in energy absorber
- 140kg maximum user weight.
- H1 double action clips.
- Certification to AS/NZS 1891.1 2007
- Available in premium range
- Ideal use on Abseil towers.



Lanyard

Product Code: REC.LANYRD001

- A twin tailed lanyard with integrated energy absorber for specific use on high ropes courses.
- Designed with two hook back loops for placement of unwanted double action hook.
- Suitable for instructor use only.
- Available in participant version as well please enquire for order code.

* Please enquire for our full range of Lanyards.



Lanyard

Product Code: ABSORB001

- Tear web energy absorber pack.
- 260mm total length.
- 600mm maximum fall length.
- For use on ladders and pole access kits ONLY.



Lanyard: XCalibre – Inertia Reel

Product Code: EXCALB001

- Light weight webbing fall arrester.
- 3m Retractable Lanyard.
- Stitched in anodised aluminium swivel twist lock karabiner.
- Has a hard wearing plastic shell with rubberised edges for minimum wear.
- No annual specialist inspection required. Sealed unit with a 5 year shelf life.
- Heavy duty 150kg max use weight.



Sling - Heavy Duty Anchor

Product Code: ASTRAP001

- Heavy duty threaded attachment strap with wear pad 1300mm.
* Please enquire for our full range of Lanyards.



Sling

Product Code: REC.SLING001

- Endless 25mm attachment strap 1200mm.
* Please enquire for our full range of Slings.



Sling

Product Code: REC.SLING002

- Edelrid Supertape Webbing 19mm Night-Oasis.
- Flat construction, available in 100m rolls only.
- Suitable for many uses rated to 16kn.
* Please enquire for our full range of Slings.



Sling

Product Code: REC.SLING003

- Edelrid X-Tube Webbing 25mm Oasis-Night.
- Strong tubular construction, available in 100m rolls only.
- Suitable for many uses rated to 18kn.
* Please enquire for our full range of Slings.



Sling

- Edelrid 16mm Sewn Sling Slate-Oasis.
- Flat construction, Rated to 22kn.

Length - 60cm

Product Code: REC.SLING004

Length - 120cm

Product Code: REC.SLING005

Length - 240cm

Product Code: REC.SLING006

*Please enquire for our full range of Slings.



Sling

Product Code: REC.SLING007

- Made from high grade, abrasion-resistant webbing and is available in a variety of colours and lengths.
- Ideal for forming temporary anchor points.
- Manufactured in accordance to AS/NZS 1891.
- Rated to 32kN (25 mm round).

*Please enquire for our full range of Slings.



Sling – Belay Station

Product Code: REC.SLING008

- Height adjustable belay station sling for indoor rock climbing centres.
- For use in conjunction with a ground anchor and harnessed belayer.
- Reinforced ends with a protective layer for long gym life.
- Adjustable to 1200 mm, Rated to 16kN.

*Please enquire for our full range of Slings.



Sling

Product Code: REC.SLING009

- Standard quickdraw sling for connecting 2 karabiners for lead climbing or Pole Access Kit.
- Has anti twist rubber fixing to prevent the lower karabiner from being accidentally moved into a horizontal position.
- Nylon slings come in a straight 16mm width, and 100mm length. Other lengths available.
- Rated 22kN.

*Please enquire for our full range of Slings.



Vertical Etrier and Aider

Etrier FOUR step

Product Code: REC.ETRIER001

Etrier FIVE step

Product Code: REC.ETRIER002

Aider FOUR step

Product Code: REC.AIDER001

Aider FIVE step

Product Code: REC.AIDER002

- The Etrier and Aider four and five step are ideal for recreational aid climbing, rope access and rescue.
- The 25 mm flat polyester webbing and dense vinyl stiffening ribs provide excellent rigidity and stability, ensuring ease of foot placement and superior abrasion-resistance.
- The Etrier folds to a slightly smaller package.



FP8020

Bosuns Chair

Product Code: REC.CHAIR001

- The Bosun's chair is ideal for situations where a worker will be suspended for extended periods of time, such as silo cleaning, panel painting and building inspections.
- Adjustable waist and large seat area with back support.



SG238

Suspension Trauma Relief Straps

Product Code: TRAUMA001

- Suspension trauma relief straps – pair.
- Tidy zip away pack that fits on most harnesses.
- Quick Adjustment to suit the height of any user.
- Simple design.



SafetyLines

Suitable for temporary installations to gain a safe work space at height.

Product Code: SAFETYLINE001.01

- **One** man per span.
- 3400 Horizontal webbing static line.
- 18 metre, c/w ratchet tensioner and bag.



Product Code: SAFETYLINE001.02

- **Two** men per span.
- 3400UK Horizontal webbing static line.
- 18 metre, c/w ratchet tensioner and bag.



Rope Fall Arrest Line

Product Code: ROPELN001

- Rope restraint line for access on roof spaces.
- 15 metre with snap hook one end and rope adjuster.

* Please enquire for additional length rope.



Helmet

Product Code: REC.HELM002

- Edelrid Ultralight Helmet (54-60cm)
(Colours: Red, Night, Snow, Turquoise, Orange)

Product Code: REC.HELM003

- Edelrid Ultralight Junior Helmet (48-58cm)
(Colours: Red, Snow)

Quite simply put this is the best no gimmicks, highly functional and industry proven helmet around, suitable for many uses and a great all-rounder. Typically used in outdoor education centres and adventure parks.

Highly adjustable suspension harness with quick release chin strap allows greater comfort and easy novice use.



Helmet

Product Code: REC.HELM004

- A classic, stylish, super strong cross-season performer, the 360 helmet has been designed to provide the highest levels of all round protection. The 360 offers market leading front, side and rear impact protection, making it one of the safest helmets available.



Helmet

Product Code: REC.HELM005

- Strong and compact, and due to its small pack size it can be stowed easily in the backpack.
- The shell sides slide into the top and the back folds in, reducing the helmets pack volume by 50%.
- Shell made of a high-strength abrasion and impact-resistant injected material. Three different foam materials – EPS, EPP and EVA – provide an optimum of comfort and safety. EPS foam is used in the upper half of the shell as it provides the best shock absorption, while the sides are made of EVA which is softer, providing a better and more comfortable fit.
- The rear panel of the Madillo covers the back of the neck providing additional protection. The size is adjustable from 52 to 62 cm, made so by squeezing the rear panel forwards once the helmet is on your head.
- The Madillo is a compact, lightweight and comfortable helmet saving a lot of space in the backpack.
- AVAILABLE IN FOUR COLORS.



Karabiner - Steel Triplock Gate

Product Code: KARBNR004

- Break strength: 50 kN.
- Optional Captive Bar, Hardened zinc plated steel.
- Weight: 267 g.
- Dimensions: 117 mm x 77 mm.
- Gate opening: 26 mm.



Karabiner - Stainless Steel Triplock Gate

Product Code: KARBNR005

- Break strength: 35 kN.
- Optional captive bar, Stainless Steel.
- Weight: 192 g.
- Dimensions: 110 mm x 63.5 mm.
- Gate opening: 18 mm.



Karabiner - Alloy Triplock Gate

Product Code: KARBNR006

- Break strength: 30 kN.
- Extra light, drop forged alloy karabiner.
- Optional captive bar.
- Weight: 79 g.



Karabiner - 712 New Oval Clip Gate

Product Code: KARBNR007

- The classic oval straight clip gate karabiner.
- Aluminium construction. Polished Aluminium only.
- Rated to 26kn.
- Weight 50g.



Karabiner - Steel Screw Gate

Product Code: KARBNR008

- High strength, hardened zinc plated steel.
- Optional captive bar.
- Break strength: 50 kN.
- Weight: 253 g.
- Dimensions: 117 mm x 77 mm.
- Gate opening: 26 mm.



Karabiner - Stainless Steel Screw Gate

Product Code: KARBNR010

- Optional Captive bar.
- Break strength: 35 kN.
- Weight: 182 g.
- Dimensions: 108 mm x 62 mm.
- Gate opening: 21 mm.



Karabiner - Steel Screw Gate

Product Code: KARBNR011

- Classic screw gate karabiner with very high break strength.
- Optional captive bar. Individually tested.
- Break strength: 50 kN.
- Weight: 178 g, Dimensions: 108 mm x 62 mm.
- Gate opening: 21 mm.



Karabiner - Steel TripLock Gate

Product Code: KARBNR012

- Optional captive bar provided.
- Break strength: 50 kN.
- Weight: 195 g.
- Dimensions: 109 mm x 61 mm.
- Gate opening: 19 mm.



Karabiner - Alloy Screw Gate

Product Code: KARBNR013

- Lightweight, symmetrical oval profile.
- Break strength: 24 kN.
- Weight: 75 g.
- Dimensions: 111 mm x 62 mm.
- Gate opening: 21 mm.



Double Action Snap Hook

Product Code: KARBNR014

- Double action snap hook.
- Break strength: 25 kN.
- Ideal for use on high ropes course safety lines.



Karabiner - Basic Steel Oval

Product Code: KARBNR015

- Steel Screwgate.
- Rated 25kN.
- Gate opening: 19mm.
- Dimensions: 109mm x 58mm.
- For use with SafetyLink vertical shuttle.



Maillon Rapide Standard

- The Maillon Rapide Standard is extremely strong when loaded along the long axis. Suitable for anchor and rigging connections.

Product Code	Size mm	Length mm	Gate mm	Work Load kg
<u>Standard - Zinc Plated Steel</u>				
REC.RAPID005	8	74	11	700
REC.RAPID001	10	89	12	1100
REC.RAPID002	12	104.5	15	1500
<u>Standard - Stainless Steel</u>				
REC.RAPID006	8	74	11	1100
REC.RAPID007	10	89	12	1800
REC.RAPID008	12	104.5	15	2500

Maillon Rapide - Large Opening

- The wider mouth opening makes connecting easier.
- Suitable for anchor and rigging connections.



Product Code	Size mm	Length mm	Gate mm	Work Load kg
<u>Large Opening – Zinc Plated Steel</u>				
REC.RAPID009	8	88	17.5	650
REC.RAPID010	10	105.5	20.5	1000
REC.RAPID011	12	124	23.5	1250
REC.RAPID012	16	161	29.5	2500
<u>Large Opening – Stainless Steel</u>				
REC.RAPID013	8	88	17.5	980
REC.RAPID014	10	105.5	20.5	1600
REC.RAPID015	12	124	23.5	2200

Maillon Rapide - Pear

- Ideal in situations where a three-way load is exerted. Also used for climbing rope, anchors and harness-to-chest harness connectors.



Product Code	Size mm	Length mm	Height mm	Gate mm	Work Load kg
<u>Pear Shaped – Zinc Plated Steel</u>					
REC.RAPID016	8	53	100	17.5	480
REC.RAPID017	10	63	118	20.5	720

Maillon Rapide - Delta

- Ideal in situations where a three-way load is exerted. Also used for climbing rope, anchors and harness-to-chest harness connectors.



Product Code	Size mm	Length mm	Height mm	Gate mm	Work Load kg
<u>Delta - Zinc Plated Steel</u>					
REC.RAPID018	8	56	73	10	550
REC.RAPID003	10	66	87	12	900
REC.RAPID004	12	75	104	15	1100
<u>Delta - Stainless Steel</u>					
REC.RAPID019	10	66	87	12	1250



Maillon Rapide - C

- Commonly used when connecting sit and chest harnesses.
- C Shape – Zinc Plated Steel.

Product Code	Size mm	Length mm	Gate mm	Work Load kg
REC.RAPID020	10	86	10	10 kN



Collared Eyebolt: Male Thread

Product Code: CONCL002.01

- 16mm external thread.
- 35mm internal diameter of eye.
- 24kn rated.
- Stainless Steel construction.
- Also available in steel and in various sizes/lengths to suit.



Collared Eyebolt: Female Thread

Product Code: EYEBT004

- 16mm internal thread.
- 35mm internal diameter of eye.
- 24kn rated.
- Stainless Steel construction.
- Also available in steel and in various sizes/lengths to suit.



Nut, Bolt and Washer

Product Code: Enquire

- Enquire about our competitive pricing on our wide range of nuts, bolts and washers.



Rope Adjuster

Product Code: ADJUST001

- Rope adjuster to suit 11-13mm rope for horizontal applications.
- Simple to use with a sliding action and auto lock cam function when a fall occurs.
- For use in conjunction with a personal energy absorber and height access rope.



Pole Access Kit

Product Code: POLEKIT001

- Create safe fast access with this auto locking vertical shuttle and personal energy absorber.
- Ideal on giant swings and high ropes elements. Eliminating the need to clip individual staples while climbing.
- Includes cable, anchor bolts, vertical shuttle, karabiners and personal energy absorber.
- Easy installation.

Product Code	Product Description
POLEKIT001.01	Cable: 8mm G2070 7x19
POLEKIT001.02	20mmx400mm Eyebolt/Washer/2 Nuts
POLEKIT001.03	8mm Wire Rope Thimbles - Galvanised
POLEKIT001.04	8mm Wire Rope Ferrules - Aluminium
POLEKIT001.05	8mm Wire Rope Grip
POLEKIT001.06	<i>Pole Access Kit Assembly:</i> 1 x 8mm Vertical Shuttle 2 x Steel Karabiners 1 x 100mm Express Sling (REC.SLING009)



Galvanised Nut Eye Bolts

Product Code: POLEKIT001.02

- Ideal for use in high ropes course constructions and pole access kit anchor points.
- 20mm diameter, 400mm long with a 40mm ID eye.
- Complete with nut and washer.
- Other sizes/lengths available to suit.



Vertical StaticLine Shuttle with Karabiner

Product Code: LADER001.:10

- Vertical StaticLine Shuttle with Steel Karabiner.
- Solid 316 stainless steel construction.
- Will track up or down with user vertically and self lock when a fall occurs.
- Can be installed/removed mid-line.
- For use on 8mm stainless steel or galvanised wire only.
- Must be used in conjunction with a personal energy absorber.



SafetyLink Friction Pulley

Product Code: REC.PULL008

- Solid 316 stainless steel construction for long wear.
- Suitable for use with 9mm-13mm ropes.
- Reduces rope wear due to its low shear factor and creates more friction to help with controlled descents.
- For use on permanent belay set ups such as climbing walls and high ropes activities.



Pulley - Multi Point

Product Code: REC.PULL006

- Idea for flying fox activities.
- Multiple attachment points.
- Premium quality high speed bearings.
- Drop resist hooks.
- Low wear wheels to minimise cable damage.
- 316 Stainless Steel body.
- Meets AS/NZS1891.2.
- Independently tested by a NATA test facility to meet international standards for pulleys DIN EN 12278 (2007-08).



Pulley - Single Rope

Nylon Wheel - Product Code: REC.PULL007.01

Stainless Steel Wheel - Product Code: REC.PULL007.02

- Ideal giant swing haul line pulley.
- Has low wear wheel.
- Precision high speed bearings.
- Solid 316 stainless steel construction.
- Meets AS/NZS1891.2.
- Meets DIN EN12278 (2007-08).



Brake Block

Product Code: FOXBRAKEBLOCK

SafetyLink's brake block is for use in assisting to arrest participants at the end of flying fox's.

- Suits 8mm – 18mm Cable.
- All Hex head bolts, washers, spring washers & nuts are 304 Stainless Steel.
- Brackets are made from one piece 304 Stainless Steel for long life cycle.
- Black high quality nylon ram blocks for minimum wear on cable and pulleys.
- Dual anchor points allow for easy rotation allowing maximum block life.
- Comes with a steel karabiner for ease of attachment to a brake line.

Galvanised Cable Steel Wire Rope (Cable)

- Large selection of Steel, Stainless steel or Galvanized constructions available. Please enquire.

Common sizes and specifications for ropes course construction

Product Code	Size mm	Description	Roll M
STAT.CABLE003	10	7x19 Galvanised	1000
STAT.CABLE004	11	7x19 Galvanised	1000
STAT.CABLE010	11	6x25 Galvanised. G2070.	1000
STAT.CABLE011	8	7x19 Galvanised	1000
STAT.CABLE012	12	6x25 Galvanised. G2070.	1000



Stainless Steel Cable Wire Rope (Cable)

- Large selection of Steel, Stainless steel or Galvanized constructions available. Please enquire.

Product Code	Size mm	Description	Roll M
STAT.CABLE001.01	8	7 x 7 wire rope, S/ Steel	305

Super Static Safety Rope

Product Code: REC.ROPE004



- Superstatic 11mm Rope 200m.
- One of the most hardwearing & durable abseil lines on the market. Colour: Snow

Dynamic Safety Rope

Ideal on climbing/abseil towers for safety lines & belay ropes.

Product Code: REC.ROPE006

- Dynamic Sport Safety Rope 50m

Product Code: REC.ROPE007

- Dynamic Rock Gym Safety Rope 200m



Rated Cord 100m Roll

- Ideal for use on giant swings and accessory applications.



2mm	0.6kN	REC.CORD002
3mm	2.4kN	REC.CORD003
4mm	4.1kN	REC.CORD004
5mm	6.2kN	REC.CORD005
6mm	9.8kN	REC.CORD006
7mm	13.4kN	REC.CORD007
8mm	16.8kN	REC.CORD008



Pulley System

Product Code: RESCUE001

- This rescue/access pulley system with a 4.1 mechanical advantage features an Auto locking brake mechanism should the control rope be released.
- Can be locked off for prolonged suspension or be self-operated or by a second person.
- Rescue Pulley System, Kernmantle Rope, 2x K1 Karabiners, E2000 x 2 Round Sling.



Rescue Kit

Product Code: RESCUE002

- The idea of the GOTCHA is to provide a rescue kit that will enable a rescuer to:
- Attach a casualty who is suspended by a fall arrest lanyard.
- Raise casualty in order to release their current attachment
- .
- Raise or lower the casualty to a point of safety.



Bag

Product Code: KITBAG001

- Kit bag with heavy duty zipper.



Rope & Bag

Product Code: KITBAG002

- 100 metre rope bag.
- Drawstring and shoulder straps.



Bag

Product Code: KITBAG003

- Jumbo kit bag.



Storage Bag

Product Code: KITBAG004

- Harness storage bag with drawstring.



SAFETYLINK PTY LTD STANDARD TERMS AND CONDITIONS OF SALE

The following terms and conditions of sale ("Terms of Sale") shall apply to and form part of any contract for the supply of goods and services ("Goods") by SAFETYLINK PTY LTD ("the Company") to another party ("the Purchaser").

1. QUOTATION

- 1.1 No quotation given by the company to the Purchaser shall constitute an offer. Any order from the Purchaser to the Company for the supply of Goods shall not be binding upon the company until accepted by the Company.
- 1.2 Prices given in any quotation by the company are applicable to that quotation only and will not apply in any other instance.
- 1.3 Quotations are valid for a period of thirty (30) days from date of issue by the Company or otherwise specified in the quotations.

2. PURCHASE ORDERS

- 2.1 When ordering, an official order is to be submitted by the Purchaser to the Company quoting an order number, full description of the Goods to be purchased and the delivery time and address. Reference to the Company's quotation number to the Purchaser should also be made (where applicable).
- 2.2 These Terms of Sale apply to the Purchaser and to the Company in respect of Goods ordered by the Purchaser and any terms and conditions set out in the Purchaser's order deviating from or inconsistent with these Terms of Sale will not bind the Company notwithstanding any statement by the Purchaser in its order that its terms and conditions shall prevail over these Terms of Sale.
- 2.3 A contract shall only be or be deemed to have been entered into between the Company and the Purchaser for the supply of the Goods when the Purchaser's order has been accepted by the Company in writing.

3. PAYMENT

- 3.1 The extension of credit to the Purchaser by the Company shall be at the sole discretion of the Company and where extended unless otherwise advised in writing by the Company, the Company requires payment by direct debit into the Company's nominated bank account 24 hours prior to delivery of the Goods to the Purchaser.
- 3.2 Without in any way limiting the Company's right to require payment in full on the due date, the Company may at its sole discretion, charge interest on overdue accounts at the rate of 2.5% above the National Australia Bank's variable Benchmark lending rate as from time to time applicable.
- 3.3 The Purchaser agrees that the Company shall be entitled to use the services of a credit agency from time to time to obtain information concerning the Purchaser (and where the Purchaser is a company, its Directors) in order to assess the Purchaser's credit worthiness.
- 3.4 Time specified for payment is of the essence.

4. INDEMNITY

Without prejudice to any other rights the Company may have against the Purchaser, and to the extent permitted by law, the Purchaser shall indemnify the Company for, and save it harmless from any loss, damage or expense (including, without limitation, costs, whether or not the subject of a court order) incurred by it should be Purchaser breach any of these Terms of Sale or cancel any order or part thereof for the Goods after acceptance by the Company.

5. DELIVERY

- 5.1 Unless agreed in writing the Company shall arrange for delivery of the goods ("Delivery") to the Purchaser's nominated delivery point.
- 5.2 The Company is entitled to charge a fee for Delivery.
- 5.3 The Company is deemed to have delivered the Goods when they are made available for unloading at the Purchaser's nominated delivery point.
- 5.4 The Purchaser is responsible for unloading the Goods from the Company's delivery vehicle.
- 5.5 If the Goods are to be collected by the Purchaser from the Company's store Delivery occurs when the Goods are loaded on the Purchaser's vehicle.
- 5.6 The Company is not liable for any claims for non-fulfillment or late Delivery of Goods or for any loss or damage (including consequential loss or damage) suffered by the Purchaser arising from delay in Delivery or failure to deliver due to circumstances beyond the Company's reasonable control and the Purchaser shall accept and pay for the Goods notwithstanding late Delivery.
- 5.7 The Purchaser shall in its purchase order advise the Company of the nominated delivery point and required delivery time.
- 5.8 Unless otherwise agreed by the Purchaser and the Company, the Company shall be entitled to deliver the Good in one or more lots. Where Delivery of the Goods is affected by way of part Delivery the Company shall be entitled to invoice the Purchaser for pro-rata progress payments in respect thereof.
- 5.9 Notwithstanding the Purchaser's inability to accept Delivery of the Goods, the Company shall be deemed to have delivered the Goods in accordance with these Terms of Sale and the Goods shall be at the Purchaser's risk from the time when the Goods have been loaded onto the Purchaser's collecting vehicle or delivered to the Purchaser's nominated delivery point (as the case requires).

6. ADDITIONAL CHARGES

The Company reserves the right to charge the Purchaser for any costs charges or expenses whatsoever that the Company may incur as a result of.

- A vehicle or wagon detention of the Goods (to the extent the same is not caused or contributed to by the Company).
- B demurrage on ships as a consequence of any act or omission of the Purchaser.
- C any special requirements or stipulations of the Purchaser accepted by the Company but not provided for in the Terms of Sale.
- D any increase in duties, taxes, freight, insurance or other charges or expenses from the date of acceptance of the Purchaser's order by the Company to the date of Delivery.

7. STORAGE

If the Company notifies the Purchaser that the Goods are ready for Delivery and the Purchaser requests the Company to hold the Goods on its behalf, such Goods will be held by the Company at the Purchaser's risk, and the Company shall be entitled to charge storage fees in respect of the Goods so stored.



8. CLAIMS

- 8.1 The Purchaser shall inspect the Goods immediately upon Delivery and, if the Goods are damaged or not otherwise in conformity with the contract relating to their supply, shall give written notice to the Company of the details in respect thereof within seven days of the date of Delivery.
- 8.2 Any Goods the subject of a notice under clause 8.1 shall be left in the state and condition in which they were delivered until such time as the Company or its duty authorized agent has inspected the Goods, such inspection to be carried out within a reasonable time after notification by the Purchaser. If the Goods are not so left in the state and condition in which they were delivered, the Purchaser shall be deemed to have accepted the Goods and shall pay the purchase price for the Goods to the Company.
- 8.3 Acceptance of the Goods shall be deemed for all purposes to have taken place when Delivery has occurred.
- 8.4 No Goods will be accepted for return by the Company unless agreed in writing by the Company prior to such return and then only upon conditions acceptable to the Company and at the Purchaser's entire risk as to loss or damage. Where the Company agrees to accept Goods for return, the Company's then current restocking charge, as varied from time to time, will be charged to the Purchaser and shall be immediately payable.

8A. RETURN OF GOODS

- 8A.1 No Products may be returned by the Purchaser to the Company without prior written authorisation from the Company. This authorisation will only be given where the Products are incorrectly delivered by the Company to the Purchaser or where the Products are incomplete or defective (other than as a consequence of the acts of the Purchaser or its agents).
- 8A.2 In order to obtain authorisation, the Purchaser must contact the Company. The Products returned must be accompanied by all appropriate documentation, all applicable packaging and all contents of the Products as originally supplied by the Company to the Purchaser.
- 8A.3 The Purchaser must dispatch all incorrectly delivered, incomplete or defective Products for return to the Company;
 - (a) in the case of incorrectly delivered Products, within 10 days of delivery of the Product to the Purchaser; or
 - (b) in the case of defective Products, within 10 days of the Purchaser becoming aware of the defect.
- 8A.4 Subject to the Purchaser strictly complying with the provisions of this clause, the Company will:
 - (a) provide a full refund to the Purchaser for incorrectly delivered products; and
 - (b) provide the Purchaser with a credit in respect of defective Product.
 - (c) arrange for the collection and uplifting of defective goods
- 8A.5 All Products returned by the Purchaser must be received by the Company at the address noted in this Agreement unless otherwise notified to the Purchaser by the Company.

9. PASSING OF RISK AND RETENTION OF TITLE

- 9.1 Whilst the risk in the Goods passes on Delivery, legal and equitable title remains with the Company until payment in full for all debts accrued or owed to the Company is made.
- 9.2 The Purchaser may sell or deal in the ordinary course of business with Goods and with the interest of the Company in the Goods and may for the purpose of such sale or dealing part with possession thereof but the proceeds of any sale or dealing with be held by the Purchaser on trust for the company. The Purchaser hereby agrees to accept this appointment as bailee and fiduciary.
- 9.3 Notwithstanding the above, the Company reserves the following rights in relation to the Goods until all amounts owed by the Purchaser to the Company are fully paid
 - A legal and equitable ownership of the goods.
 - B to enter the Purchaser's premises (or the premises of any associated company or agent where the Goods are located) without liability for trespass or any resulting damage and retake possession of the Goods, and
 - C to keep or resell any of the Goods repossessed pursuant to (b) above.
- 9.4 In the event that the Goods are resold, or goods manufactured using the Goods are sold, by the Purchaser, the Purchaser holds on trust such part of the proceeds of any such sale as represents the invoice price of the Goods sold or used in the manufacture of the Goods sold in a separate identifiable account as the beneficial property of the company and must pay such amount to the company upon request. Notwithstanding the provisions above the Company is entitled to maintain an action against the Purchaser for the purchase price of the Goods.
- 9.5 Where the Purchaser processes the Goods or incorporates them in or with any other product before property has passed to the purchaser, the new product shall be separately stored or marked in a manner which makes such new product readily identifiable as the Goods of the Company.
- 9.6 If payment for the Goods is not made by the Purchaser by the due date specified by the Company to the Purchaser then the Purchaser shall return the goods to the company on demand. If the Purchaser does not return the goods to the Company within 48 hours of receipt of the demand, the Company shall be entitled to enter upon the Purchaser's premises at any time to do all things necessary to recover the Goods. The Purchaser shall be liable for all costs associated with the exercise by the Company of its rights under this clause, which shall be repayable on demand.

10. DEFAULT

Should the Purchaser fail to make due payment for any Goods supplied by the Company or commit a breach of any term of the sale, or being a natural person commit an act of bankruptcy, or being a corporation by act or omission enables the appointment of an administrator, scheme manager, trustee, official manager, receiver, receiver and manager, liquidator or any other person authorized to enter into possession or assume control of any property of the Purchaser pursuant or a mortgage or other security, the Company may, without prejudice to any other rights it may have, do any or all of the following.

- A Withdraw any credit facilities which may have been extended to the Purchaser and require immediate payment of all moneys owing or accrued.
- B Withhold any further deliveries of Goods or performance of services required under the accepted purchase order.
- C In respect of Goods already delivered, enter into the Purchaser's premises to recover and resell same for its own benefit.
- D Suspend and/or terminate performance of any other contracts which the Company has with the Purchaser.



11. WARRANTIES

- 11.1 To the extent permitted by law all implied conditions, guarantees, warranties and undertakings are expressly excluded.
- 11.2 Except as provided in this clause the Company shall not be liable for any loss or damage, whether direct or indirect (including consequential losses or damage) arising out of any breach of contract by the Company or any negligence of the Company, its employees or agents.
- 11.3 Should the Company be liable for a breach of a consumer guarantee, condition or warranty implied by the Australian Consumer Law (not being a guarantee, condition or warranty implied by Sections 51, 52 and 53 of that Law) then its liability for a breach of any such guarantee, condition or warranty express or implied shall be limited, at its option, to any one or more of the following.

- A in case of Goods
 - (i) the replacement of the Goods or the supply of equivalent Goods.
 - (ii) the repair of the goods,
 - (iii) the payment of the cost of replacing the Goods or acquiring equivalent Goods.
 - (iv) The payment of the cost of having the Goods repaired.Provided that any such Goods are returned to the Company by the Purchaser at the Purchaser's expense.

- B in the case of services
 - (i) the supply of the services again,
 - (ii) the payment of the cost of having the services supplied again.

- 11.4 The Company will not liable for the costs of recovery of the Goods from the field, loss of use of the Goods, loss of time, inconvenience, incidental or consequential loss or damage, nor for any other loss or damage of her than as stated above, whether ordinary or exemplary, caused either directly or indirectly by use of the Goods.
- 11.5 The Company warrants that at the time of shipment, Products manufactured by it will be free from defects in material and workmanship. In the absence of a modified written warranty, the Company agrees to making good any such defects by repairing the same or at the Company's option by replacement, for a period of (1) one year from the date of shipment. This limited warranty applies provided that:
 - (a) defects have arising solely from faulty materials or workmanship;
 - (b) the Products have not received maltreatment, inattention or interference;
 - (c) the Products have been installed in accordance with the Company's Installation Handbooks using only products supplied by the Company;
 - (d) accessories used with the Products are manufactured by or approved by the Company ;
 - (e) the Products are maintained in accordance with Australian Standard 1891.4 (section 9)
 - (f) you notify any claim under this warranty to SafetyLink in writing to the address below no later than 14 days after the event or occurrence concerning the produce giving rise to the claim and you pay all costs related to your claim.

This warranty does not apply to any defects or other malfunctions caused to the Goods by accident, neglect, vandalism, misuse, alteration, modification or unusual physical, environment or electrical stress.

Please note that the benefits to the purchaser (as a consumer) given by this warranty are in addition to your other rights and remedies under the Australian Consumer Law. Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

- 11.6 If any goods are not manufactured by the Company, the guarantee of the manufacturer thereof shall be accepted by the Purchaser as the only express warranty given in respect of the goods.
- 11.7 Except as provided in this clause 11, all express and implied warranties, guarantees and conditions under statute or general law as the merchantability, description, quality, suitability or fitness of the Products for any purpose or as to design, assembly, installation, materials or workmanship or otherwise are hereby expressly excluded (to the extent to which they may be excluded by law).

12. FITNESS FOR PURPOSE

The Purchaser agrees that it does not rely on the skill or judgment of the Company in relation to the suitability of any of the goods for a particular purpose unless it has indicated that purpose in writing to the company and the Company has acknowledged in writing that the Goods will be fit for the particular purpose.

13. OWNERSHIP AND CONFIDENTIALITY

- 13.1 The Purchaser acknowledges that all proprietary information in respect of the Goods and all right title and interest therein are the sole property of the Company and the Purchaser shall gain no right title or interest in the Proprietary Information whatsoever. The Purchaser specifically acknowledges the Company's exclusive rights to ownership of any modification, translation or adaptation of the Proprietary information and any other improvement or development based thereon which is developed, supplied, installed or paid for by or on behalf of the purchaser or any customer of the Purchaser.
- 13.2 The Purchaser acknowledges that the Proprietary, Information is confidential and contains trade secrets and that its disclosure will cause the company to suffer financial loss.
- 13.3 The Purchaser shall implement all measures necessary to safeguard the Company's ownership and confidentiality of the proprietary information including without limitation.
 - (i) Allowing its employees, agents, and customers access to the Proprietary Information only to the extent necessary to ensure performance of the Goods and to require, as a condition to such access that such persons comply with the provisions of this part of these Terms of Sale.
 - (ii) To co-operate with company in the enforcement of such compliance by the Purchasers employees, agents and customers,
 - (iii) Not to remove any nor permit the removal of any or alteration of any copyright or confidentiality labels placed on the goods by the Company.
 - (iv) Not to disassemble, decompile or reverse engineer any part of the Goods whether software or hardware.
 - (v) Not to or reproduce any part of the Goods whether software or hardware.

The Purchaser indemnifies, and agrees to keep indemnified the Company against any loss, cost, expenses, damages, and harm suffered or incurred by the Company in connection with or arising out of or as a result of the breach by the Purchaser of any of the provisions of this clause.

14. DEFINITION

For the purposes of this clause "Proprietary Information" means any and all information relating to the goods or the installation thereof including designs, drawing, instruction booklets, specifications, circuit drawings, componentry, trade marks and patents and any and all proprietary information, intellectual property and copyright in such proprietary information.

15. SALES AND GOODS AND SERVICES TAX

Should any sales tax, Goods and Services Tax as levied under the A New Tax System (Goods & Services Tax) Act 1999 (as amended) and any other tax, fee, levy or duty imposed by any competent authority be payable on any of the Goods supplied by the Company, such tax, fee, levy or duty will be to the Purchaser's account and shall be calculated using the rates and methods of assessment in force at the time of Delivery. The Purchaser is liable of any other applicable tax, including, without limitation withholding tax.

16. DISPUTES

16.1 Any disputes between the parties arising from the performance of the provisions of these Terms of Sale must be settled through Friendly consultation by the Parties. All disputes arising in respect of these Terms of Sale which are not resolved within thirty (30) days of first arising will be finally settled under the Rules of Conciliation and Arbitration of the International Chamber of Commerce by a single arbitrator appointed in accordance with the said Rules. The place of arbitration will be the State from which the goods are sold by the Company ("the State"). The procedural law applicable to the arbitration will be that of the State. The decision of the arbitration is final and binding upon both parties.

16.2 During the period in which the dispute is being resolved, the parties must continue to perform all of the provisions of these Terms of Sale which are not under dispute and which are able to be performed by the parties.

17. FORCE MAJEURE

The Company shall not be liable for any claims of non-fulfillment or late Delivery should actual Delivery of the Goods or any parts be delayed in consequence of unforeseen events such as strikes, unforeseen breakdown of machinery (save where caused by improper maintenance or operation by untrained personnel), suspension of electricity or other relevant power supply, riots, war, robber, civil commotion, adverse non foreseeable weather conditions, disaster caused by fire and/or water, action of government or port authority, delay of vessel, rail-road embargoes, inability to obtain transportation facilities or due to a failure of an original equipment manufacturer to supply components by the due date.

18. ENTIRE AGREEMENT

These Terms of Sale contain the entire agreement between the parties hereto on the subject matter of this agreement. Any variation or modification of these Terms of Sale must be in writing.

18.1 The company reserves the right to review and amend its terms of sale from time to time. Written notification forwarded to the Purchaser by ordinary mail shall be deemed sufficient notification to bind the Purchaser to any revised or amended terms of sale for all orders place by the Purchaser and accepted by the Company after receipt of such notification.

19. SEVERANCE

If any provision of the Contract is deemed to be unlawful or unenforceable, such provision shall be severed from the Contract and all other provisions shall remain in force.

20. NON WAIVER

The failure of any party to enforce the provisions of this Contract or to exercise provisions or rights and shall not affect the enforcement of this Contract or preclude or prejudice such party from exercising the same or any other rights it may have.

21. JURISDICTION

The parties agree that this Contract shall be governed by the Laws of New South Wales and submit to the exclusive jurisdiction of the Courts of New South Wales.

NOTHING IN THESE CONDITIONS SHALL BE READ OR APPLIED SO AS TO EXCLUDE, RESTRICT OR MODIFY OR HAVE THE EFFECT OF EXCLUDING, RESTRICTING OR MODIFYING ANY CONDITION, WARRANTY, GUARANTEE, RIGHT OR REMEDY IMPLIED BY LAW (INCLUDING THE AUSTRALIAN CONSUMER LAW (CTH) AND WHICH BY LAW CANNOT BE EXCLUDED, RESTRICTED OR MODIFIED.
JANUARY 2012



SafetyLink's Height Safety Anchors

Call 1300 789545 to obtain an Anchor Catalogue or log online to www.heightsafety.com



 SafetyLink FrogLink



 SafetyLink TileLink



 SafetyLink RetroLink Tube



 SafetyLink Advance SurfaceLink



 SafetyLink ConcreteLink



 SafetyLink WindowLink




 SafetyLink SwiveLink with Nut




 SafetyLink RafterLink



 SafetyLink ConcreteLink Intermediate T Bolt




 SafetyLink Single Concrete Corner Unit



 SafetyLink ConcreteLink Single End




 SafetyLink Intermediate T-Bolt with Retrotube




 SafetyLink Fixed LadderLink



 SafetyLink Fixed LadderLink - Wall Mounted



 SafetyLink Fixed LadderLink - Extended



 SafetyLink Ladder

